ELSEVIER

International Journal of Mass Spectrometry and Ion Processes 165/166 (1997) vii–ix

International Journal of Mass Spectrometry and Ion Processes

CONTENTS

Special Issue: In Honour of Keith R. Jennings

Preface xi
Foreword xii
Autobiographical sketch, May, 1997 xv

K.R. Jennings — the man and his work
A. Maccoll (London, UK) xviv
K.R. Jennings — 'The Sheffield Years (1960–1972)' or 'From Gas Kinetics to Mass Spectrometry': A Personal Recollection
R.M. O'Malley (Tampa, FL, USA) xxiii
Kinetic energy release and intercharge distance of the protonitronium dication ($HONO^{2+}$)
K. Vékey and Z. Szilágyi (Budapest, Hungary) 1
The chemistry of Sr^{2+} in association with propanol clusters
M.P. Dobson and A.J. Stace (Brighton, UK) 5
Photodissociation and collisionally activated dissociation tandem mass spectrometric studies of difluoro[triazol-1-ylmethyl]benzhydrols and related compounds in a quadruple ion trap
C.S. Creaser and K.E. O'Neill (Nottingham, UK) 13
SIFT studies of the reactions of H_3O^+, NO^+ and O_2^+ with a series of aldehydes and ketones
P. Španěl (Stoke-on-Trent, UK), Y. Ji (Anhui, People's Republic of China) and D. Smith (Stoke-on-Trent, UK) 25
Unimolecular reactions of protonated hydrazine. Reaction mechanisms and dynamics from observation of metastable ion fragmentations and *ab initio* calculations
E.L. Øiestad and E. Uggerud (Oslo, Norway) 39
Proton-bound dimers of aliphatic carboxamides: gas-phase basicity and dissociation energy
M. Witt and H.-F. Grützmacher (Bielefeld, Germany) 49
Heats of formation of gas-phase ions calculated by composite ab initio procedures
S. Hammerum (Copenhagan, Denmark) 63
Generation of α-acetolactone and the acetoxyl diradical $\bullet CH_2COO\bullet$ in the gas phase
D. Schröder (Berlin, Germany), N. Goldberg (New York, NY, USA), W. Zummack, H. Schwarz (Berlin, Germany) J.C. Poutsma and R.R. Squires (West Lafayette, IN, USA) 71
A comparative study of gas-phase ion/molecule reactions in $Si(OCH_3)_4$ and $Si(OC_2H_5)_4$
M.L.P. da Silva and J.M. Riveros (São Paulo, Brazil) 83
Experimental determination of the radiative lifetimes of $CF^+(X^1\Sigma^+,v)$ ions
R. Marx, G. Mauclaire, S. Fenistein, J. Lemaire and M. Heninger (Orsay, France) 97
Identification of the electronic transitions in the double ionization of six amines to singlet electronic states of their dications
N. Jeffreys, D.E. Parry and F.M. Harris (Swansea, UK) 107
High-resolution ion translational energy spectroscopy of electronic excitation of homonuclear diatomic molecules in ion molecule collisions
C.M. Lock, A.G. Brenton (Swansea, UK) and D. Mathur (Mumbai, India) 119
The gas phase Payne rearrangement. Part 2. Methyl substitution: a joint ab initio and experimental study
S. Dua, J.H. Bowie, M.S. Taylor and M.A. Buntine (Adelaide, Australia) 139
Reactions of metastable ionized γ, γ-dialkylallyl methyl ethers: relative rates for elimination of alkyl radicals by formal γ-cleavage
R.D. Bowen, P. Clifford (West Yorkshire, UK), J.T. Francis and J.K. Terlouw (Ontario, Canada) 155

Studies on gas-phase positive ion-molecule reactions initiated by proton transfer to alcohols: the reactions of 2-methyl-2-propanol (*t*-butyl alcohol) with H_3O^+ in a Fourier transforms mass spectrometer (FTMS)
A.J. Bell, K. Giles, S. Moody, N.J. Underwood and P. Watts (Wiltshire, UK) 169
The intriguing behaviour of (ionized) oxalacetic acid investigated by tandem mass spectrometry
L.M. Fell, J.T. Francis (Ontario, Canada), J.L. Holmes and J.K. Terlouw (Ottawa, Canada) 179
A flowing-afterglow study of the reactions of trimethylsilylium ($(CH_3)_3Si^+$) with ammonia and some alkylamines
Q.-F. Chen and J.A. Stone (Ontario, Canada) 195
Mass selection of ions in a Fourier transform ion cyclotron resonance trap using correlated harmonic excitation fields (CHEF)
L.J. de Koning, N.M.M. Nibbering (Amsterdam, The Netherlands), S.L. van Orden and F.H. Laukien (Billerica, MA, USA) 209
Evaluation of the variables that affect resolution in delayed extraction MALDI-TOF
D.C. Barbacci, R.D. Edmondson and D.H. Russell (Texas, TX, USA) 221
Collision-induced dissociation of low energy benzene ions
R. Chawla, A. Shukla and J. Futrell (Newark, DE, USA) 237
Gas-phase reactions of singly and multiply-charged fullerene cations, C_{60}^{x+} (x = 1–3), with iron pentacarbonyl: kinetic control by Coulombic barriers
V. Baranov and D.K. Bohme (Ontario, Canada) 249
Selected ion flow tube studies of S_2^+ reactions with a series of organic molecules
B.K. Decker and N.G. Adams (Georgia, USA) 257
Two dimensional many particle simulation of trapped ions
D.W. Mitchell (Athens, OH, USA) and R.D. Smith (Richland, WA, USA) 271
Photodissociation studies of C_n^+ at 193 nm (n = 5–19)
B.P. Pozniak and R.C. Dunbar (Cleveland, OH, USA) 299
Reactions of alkyl halides with distonic acylium radical cations
R.L. Smith, K.K. Thoen, K.M. Stirk and H.I. Kenttämaa (West Lafayette, IN, USA) 315
Two-plate vs. four-plate azimuthal quadrupolar excitation for FT-ICR mass spectrometry
G.S. Jackson, C.L. Hendrickson (Tallahassee, FL, USA), B.B. Reinhold (Boston, MA, USA) and A.G. Marshall (Tallahassee, FL, USA) 327
Proton mobility in protonated amino acids and peptides
A.G. Harrison and T. Yalcin (Ontario, Canada) 339
The MALDI mass spectra of carbosilane-based dendrimers containing up to eight fixed positive or 16 negative charges
Z. Wu and K. Biemann (Cambridge, MA, USA) 349
The effect of the variation of cation in the matrix-assisted laser desorption/ionisation-collision induced dissociation (MALDI-CID) spectra of oligomeric systems
J.H. Scrivens, A.T. Jackson, H.T. Yates (Cleveland, UK), M.R. Green, G. Critchley, J. Brown, R.H. Bateman (Manchester, UK), M.T. Bowers and J. Gidden (Santa Barbara, CA, USA) 363
Conformations of alkali ion cationized polyethers in the gas phase: polyethlene glycol and bis[(benzo-15-crown-5)-15-ylmethyl] pimelate
T. Wyttenbach, G. von Helden and M.T. Bowers (Santa Barbara, CA, USA) 377
Block microstructural characterization of copolymers formed from fluorinated and non-fluorinated alkyl polyisocyanates using desorption chemical ionization mass spectrometry
G. Chen, R.G. Cooks (West Lafayette, IN, USA), S.K. Jha, D. Oupicky and M.M. Green (New York, NY, USA) 391
Electrospray ionization Fourier transform ion cyclotron resonance mass spectrometric characterization of high molecular mass Starburst™ dendrimers
L.P. Tolić, G.A. Anderson, R.D. Smith (Richland, WA, USA), H.M. Brothers II, R. Spindler and D.A. Tomalia (Midland, MI, USA) 405
Ion-ion proton transfer reactions of multiply-charged oligonucleotide cations
J.L. Stephenson Jr. and S.A. McLuckey (Oak Ridge, TN, USA) 419
Studies of the dissociation mechanisms of deprotonated mononucleotides by energy resolved collision-induced dissociation
Y. Ho and P. Kebarle (Alberta, Canada) 433
Double stranded DNA sequencing by tandem mass spectrometry
F.W. McLafferty, D.J. Aaserud, Z. Guan, D.P. Little and N.L. Kelleher (Ithaca, NY, USA) 457

MALDI-TOF and electrospray tandem mass spectrometric analysis of fatty acyl-CoA esters
J.A. Hankin and R.C. Murphy (Denver, CO, USA) 467
Collision-induced dissociation of protonated guanine
J.M. Gregson and J.A. McCloskey (Utah, USA) 475
Structure determination of isomeric hexadeoxynucleotide photoproducts by high-field NMR and fast atom bombardment/tandem mass spectrometry
D. Vollmer (Lincoln, NE, USA), X. Zhao, J.-S. Taylor, M.L. Gross (St. Louis, MO, USA) 487
High resolution ion mobility measurements for gas phase proteins: correlation between solution phase and gas phase conformations
R.R. Hudgins, J. Woenckhaus and M.F. Jarrold (Evanston, IL, USA) 497
Fragmentation efficiencies of peptide ions following low energy collisional activation
S.G. Summerfield and S.J. Gaskell (Manchester, UK) 509
Cyclodextrin-piroxicam inclusion complexes: analyses by mass spectrometry and molecular modelling
R.T. Gallagher (Cambridgshire, UK), C.P. Ball, D.R. Gatehouse, P.J. Gates, M. Lobell and P.J. Derrick (Coventry, UK) 523
Fragmentation and reactions of organophosphate ions produced by electrospray ionization
A.J. Bell, D. Despeyroux, J. Murrell and P. Watts (Wilts, UK) 533
Formation of metalloporphyrins and metallochlorins in the source of a mass spectrometer under fast atom bombardment
M.R.M. Domingues, M. Graça Santana-Marques and A.J. Ferrer-Correia (Aveiro, Portugal) 551
Mass spectrometric study of the amipurimycin hexopyranosidic sugar moiety
M.A. Almoster Ferreira, C. Borges, M.C. Oliveira (Lisboa, Portugal), G. Pocsfalvi (Napoli, Italy), A.P. Rauter and A.C. Fernandes (Lisboa, Portugal) 561
Gas phase investigations of sulfonium salts by electrospray FT-ICR/MS
A.R. Katritzky, P.A. Shipkova, C.H. Watson, J.R. Eyler (Gainesville, FL, USA) and D.N. Kevill (DeKalb, IL, USA) 577
Internal energy distribution of carboxylate negative-ions of the herbicide diclofop acid in the gas-phase
J.V. Headley and K.M. Peru (Saskatchewan, Canada) 585
Tandem mass spectrometric determination of polychlorodibenzo-*p*-dioxins and polychlorodibenzofurans in a quadrupole ion trap using multi-frequency resonant excitation
M. Splendore, J.B. Plomley, R.E. March and R.S. Mercer (Ontario, Canada) 595
Decomposition of 3,5-diaryloxathiolane-2-oxides under electron impact
N.-Yu. Tretyakova, J.R. Hass (Chapel Hill, NC, USA), L.G. Saginova and A.T. Lebedev (Moscow, Russia) 611
Dissociative electron attachment negative ion mass spectrometry: a chlorine-specific detector for gas chromatography
J.M. Curtis and R.K. Boyd (Nova Scotia, Canada) 625
Chemical ionization of the nitrate ester explosives EGDN and PETN by trimethylsilyl cation and comparison of the reactivity of nitrate ester and nitro explosives toward trimethylsilyl cation
K.C. Crellin, N. Dalleska and J.L. Beauchamp (Pasadena, USA) 641

Author index 655
Subject index 657